



PremiumEdition

**"Dreams that accompany all
people should be taken care of
by the rooms that we live in."**

Charles Moore



Fire symbolizes the beginning of the culture. Its sight is pure magic - watching flames dancing in every moment of fascinating elemental force. These days, fire in our living space belongs to the highest of all feelings. A chimney in the living space distributes cosiness and warmth.

Great when the fire in a chimney can burn that contains itself with great restraint. And in doing so, sets an impressive design statement with puristic look. That is the decelerating experience.

Welcome to the premium world of Spartherm.

Radiant soloists in architectural ensemble.

With our innovative chimney inserts, you can fulfil your dream of pleasant living with a lively fire. Enjoy the attractive design and technical superiority of our premium fireplace inserts in your home every day. Cozy warmth, pleasant atmosphere and the feeling of luxury convert your living room into a wellness oasis for all senses. In this way you do not only increase your well-being, you also increase the value of your property.



Fire and flame for design and quality

Those wanting to satisfy the highest expectations, do not make any compromises. Driven by the desire for perfection, we have been developing and producing fireplace inserts for exceptional chimney architecture since 30 years. What makes our chimney so special? Simple: they have been designed with passion, conceived with craftsmanship, manufactured in this sense and completed to the finest detail.

And the reward for our consequent design orientation: renown prizes and awards such as the "Plus X Award 2015", "Iconic Award 2015", "Plus X Award – Best Design Brand 2015/16", "German Design Award Special 2016"

Find inspiration in the outstanding design of our fireplace inserts and enjoy the quality time spent at home with our fireplaces.



"Excellent design, the spirit for detail and well considered customer benefits are encompassed in each of our fireplace inserts."

*Gerhard Manfred Rokossa
Founder and executive company
member Spartherm*



Puristic design from unprecedented elegance

"The shape is not the goal, it is the result"

Ludwig Mies van der Rohe



Enjoy the beauty of fire


With its generous viewing window, the V-ASh positions itself in the background on purpose and leaves the stage to the fire. The unique flush mounted look offers a fascinating panorama view of the fire that nobody can take away from you. Other special features of our V-ASh models: the fireplace insert is equipped with a double glazing for a pleasant reduced heat radiation into the room where it is installed. On request, you can also control the sliding mechanism conveniently using a remote control.





Well-being of the aesthetic type

"Shape and function should be united, joined in a spiritual unit."
Frank Lloyd Wright



Reassuring counterpoint for the daily hustle and bustle

With unrestricted view of the fire and a low installation depth, the fireplace insert V-2L/2R-55 GET sets a demanding emphases on interior design. In this way, it allows a remarkable fireplace that is characterised by is lean structural shape and a limited space requirement. Ideal in all room situations where conventional chimneys are too space intensive. Or where the wall material has not allowed the installation of a chimney until now. A demanding technology allows the direct assembly, even in front of combustible wall materials.

Shiny eyes for chimney enthusiasts

"He who understands geometry, understands anything in the world."

Galileo Galilei



The centre of sensuality

The most attractive alternative to flat-screen televisions. With its impressive screen size, the V-M-80h sets clear accentuations in any interior.. And from the first instance onwards, spreads an attitude towards life that one never wants to miss. Being a model with low installation depth, it is particularly suitable for compact room situations.



The impressive eye-catcher in stylish ambience

"The detail is not the details, they make the design."
Charles Eames

Harmony and quality for demanding epicures

Innovative technologies, ecological approach, outstanding functionality, extraordinary design and a simple operating concept characterise the model A-3RL-60h. The complex glass design gives a full view of the magnificent interplay of flames from three sides. This makes our premium model A-3RL-60h to a real highlight that will generate well-being over decades.



Experience what is essential: design Quality. Function. Handicraft

Our fireplace inserts are the heart of appealing chimney aesthetics. A particular key feature of the premium chimney is its reduced design which places its emphasis on the essence of a fireplace: the fire. As with us, the flaming experience is in the foreground and not the function.



Quality

Made in Germany, made by Spartherm. The best materials, high-quality crafting and a premium concept guarantee the highest functionality and service life.



Functionality

The best example for high functionality and appealing design into detail: the ventilation adjustment lever for the optimum regulation of the fire. Reduced to the bare essentials, it is integrated into the unit inconspicuously.



Design

High-quality, edgeless look with the highest aesthetic demands for incomparable perspectives and direct view into the fireplace characterise the premium fireplace inserts from Spartherm. A design that can be integrated into any architecture, opens completely new options and has been distinguished with several prizes for exceptional design.



Handicraft

Many work steps are required to manufacture an outstanding fireplace insert. A lot of manual work, experience and our uncompromising attitude that knows no mediocrity ensure for the excellent Spartherm quality.

The fire signs of time: innovation. Clarity. Efficiency

Spartherm chimneys make a spectacular figure in every atmosphere and with every interior concept - and offer you a diversity of benefits.



A worlds first

Edgeless, fretless, flush-mounted - A worlds first. It is the technical innovations with regard to safety architecture that allows Germanys market leader Spartherm to design a chimney with an impressive art of fire.



Clear view

Made from one cast, one-piece glass panes made from rigid glass ceramic give you an unlimited pleasure of the flames. Your added value: cleaning the glass ceramic pane is child's play, simply push it up completely, or lower to the ground.



Efficiency

High efficiency rating thanks to advanced technology - the award winning Spartherm fireplace inserts ensure for a particular operation and optimum utilisation of energy. As a whole, the premium fireplace inserts from Spartherm have been designed for sustainable use that protects the environment and your budget.



Double glazing

The elaborately constructed double glazing of the premium fireplace insert V-ASh ensures for a perfect view of the fire and at the same time, guarantees an optimum insulation so that the installation room is not overheated by the particularly large viewing window. And the fact that the safety glass is also easy to clean gives you even more please with your fire, day after day.

Convincing diversity for your good taste



Technical data Premium V-ASh

| | |
|--|--|
| Dimensions (H x W x D)*: | 1,296 x 955 x 555 mm |
| Dimensions, concrete frame (H x W x D): | 892 x 1,233 x 122 |
| Cast iron dome flue gas connection: | Ø 180 mm |
| Combustion air connection: | SVS connection Ø 150 mm |
| Overall weight: | 212 kg |
| Firebox lining: | fireclay |
| Door height: | 338 mm |
| Clear window size (W x H): | 847 x 338 mm |
| Wood feed quantity: | 2.1 kg/h |
| Nominal heat output: | 7.1 kW |
| Thermal output range:: | 4.9 - 9.1 kW |
| Flue gas temperature at the connecting socket: | 275°C |
| Mass flow of flue gas: | 7.0 g/s |
| Efficiency: | > 80 % |
| Min. supply pressure: | 12 Pa |
| CO emission: | < 1,250 mg/Nm³ |
| Dust content:: | < 40 mg/Nm³ |
| Requirements: | DIN 13229, DIN plus, 15a, 2nd level of the German Federal Pollution Control Ordinance (BImSchV). |

See page 8 ff.



Technical data Premium V-2L-55h GET Premium V-2R-55h GET

| | |
|--|--|
| Dimensions (H x W x D): | 1,424 x 831 x 555 mm |
| Cast iron dome flue gas connection: | Ø 180 mm |
| Combustion air connection: | SVS connection Ø 150 mm |
| Overall weight: | 230 kg |
| Firebox lining: | fireclay |
| Door height: | 510 mm |
| Clear window size (W x H x D): | 512 x 460 x 323 mm |
| Wood feed quantity: | 2.1 kg/h |
| Nominal heat output: | 7.1 kW |
| Thermal output range:: | 4.9 - 9.1 kW |
| Flue gas temperature at the connecting socket: | 276°C |
| Mass flow of flue gas: | 6.5 g/s |
| Efficiency: | > 80 % |
| Min. supply pressure: | 12 Pa |
| CO emission: | < 1,250 mg/Nm³ |
| Dust content:: | < 40 mg/Nm³ |
| Requirements: | DIN 13229, DIN plus, 15a, 2nd level of the German Federal Pollution Control Ordinance (BImSchV). |

See page 12 ff.

A matter of course of the masterly



Technical data Premium V-M-80h GET

| | |
|--|--|
| Dimensions (H x W x D): | 1,451 x 1,048 x 510 mm |
| Cast iron dome flue gas connection: | Ø 180 mm |
| Combustion air connection: | SVS connection Ø 150 mm |
| Overall weight: | 250 kg |
| Firebox lining: | fireclay |
| Door height: | 491 mm |
| Clear window size (W x H): | 727 x 431 mm |
| Wood feed quantity: | 2.7 kg/h |
| Nominal heat output: | 9.0 kW |
| Thermal output range:: | 6.3 - 11.7 kW |
| Flue gas temperature at the connecting socket: | 279°C |
| Mass flow of flue gas: | 7.0 g/s |
| Efficiency: | > 80 % |
| Min. supply pressure: | 12 Pa |
| CO emission: | < 1,250 mg/Nm ³ |
| Dust content:: | < 40 mg/Nm ³ |
| Requirements: | DIN 13229, DIN plus, 15a, 2nd level of the German Federal Pollution Control Ordinance (BImSchV). |

See page 16 ff.



Technical data Premium A-3RL-60h

| | |
|--|--|
| Dimensions (H x W x D): | 1,476 x 748 x 592 mm |
| Cast iron dome flue gas connection: | Ø 200 / 250 mm |
| Combustion air connection: | SVS connection Ø 150 mm |
| Overall weight: | 321 kg |
| Firebox lining: | fireclay |
| Door height: | 533 mm |
| Clear window size (W x H x D): | 544 x 526 x 318 mm |
| Wood feed quantity: | 2.2 kg/h |
| Nominal heat output: | 7.5 kW |
| Thermal output range:: | 5.3 - 9.8 kW |
| Flue gas temperature at the connecting socket: | 310°C |
| Mass flow of flue gas: | 7.0 g/s |
| Efficiency: | > 80 % |
| Min. supply pressure: | 12 Pa |
| CO emission: | < 1,250 mg/Nm ³ |
| Dust content:: | < 40 mg/Nm ³ |
| Requirements: | DIN 13229, DIN plus, 15a, 2nd level of the German Federal Pollution Control Ordinance (BImSchV). |

See page 20 ff.

For the passion of detail

Using perfectly matched accessories, you can make your life even more attractive with fascinating fire. We can offer you many different system extensions for our premium fireplace inserts that ensure for even more enjoyment with fire and heat. These include electronic regulating modules that increase efficiency significantly, permit a sustainable burnup ecology and offer you additional comfort. With the matching collimators, with the assistance of your trade partner, you can create an individual overall piece of art from your Spartherm chimney.

You can obtain more information about our comprehensive range of accessories at **www.spartherm.com** or from our qualified trade partners.

Fire with remote control

Enjoy premium comfort, also when operating our award-winning chimneys. With the so-called "Cold hand", all controllers on the chimney can be set during operation – the optimum thermal protection for your hands. The pane mechanism can also be operated using the "Cold hands" function, or conveniently using our especially constructed remote control.



Excellence from one source


Having the market leadership in the sector for premium fireplace inserts, our attention is not only placed in the convincing technology and outstanding design. We also place the highest demands in consultation quality, perfection with the installation, commitment and instinctive feeling for details in the choice of our partners that make the difference. To allow your Spartherm fireplace insert to become an exclusive chimney, we only work together with partners that satisfy our highest quality demands and offer you a perfect service from one source. Our partners would be pleased to accompany you with every stage, from consultation to planning through to the end assembly, and naturally, also take over all meetings with the responsible local chimney sweep. To allow you to enjoy more well-being right from the beginning.

More information about our fireplace inserts and partners in trade and handicraft can be found under

www.spartherm.com/premium



Your specialist dealer



SPARTHERM Feuerungstechnik GmbH
Maschweg 38
D-49324 Melle
Tel. +49 5422/94 41-0
Fax +49 5422/94 41-14
info@spartherm.com
www.spartherm.com